




Wire Shelving Systems Finishes




6 WIRE FINISHES AVAILABLE




Chrome - is a plating process which deposits hard chrome over a copper, nickel surface. This process is very durable and allows product to be used in any application in a dry storage environment. 1 year limited warranty to not rust or corrode when used in dry and non-humid environments.





Stainless Steel - 304 Stainless with an electropolish finish represents the highest industry standard in the prevention of corrosion. This finish is highly effective for corrosive, high humidity or clean room environments. Lifetime warranty for 304 stainless steel electropolish finish.








Proform Green, Gray and Black Epoxy - are an ideal solution for high humidity, wet, or walk-in-cooler applications. The carbon steel is treated with an iron phosphate and the powder coated epoxy is electrostatically applied, baked and cured to a hard surface. All three colors are antimicrobial. 15 year limited warranty for antimicrobial finish to not rust or corrode.







Blue Endurance and Gray Epoxy - is a developed process which exceeds conventional finishes. Finish is excellent for high humidity or corrosive applications and is fortified with an antimicrobial agent. 15 year limited warranty for antimicrobial finish to not rust or corrode.

APPLICATION	CHROME FINISH	STAINLESS STEEL FINISH	PROFORM GREEN, GRAY & BLACK EPOXY FINISH	BLUE ENDURANCE FINISH
DRY STORAGE	YES	YES	YES	YES
WET STORAGE	NO	YES	YES	YES
COOLER STORAGE	NO	YES	YES	YES
FREEZER STORAGE	NO	YES	YES	YES
WARRANTY*	1 YEAR DRY	LIFETIME	15 YEAR	15 YEAR

*Limited against rust and corrosion





Wire Shelves



Genuine Quantum modular wire systems offer a unique combination of shelf and post sizes in a variety of finishes to work in any application. The all welded shelf construction is supported with architectural wire trusses to provide between 600 lb. and 1,000 lb. capacity per shelf.

CHROME **304 STAINLESS STEEL PROFORM GREEN EPOXY** NEW **GRAY EPOXY** BLACK EPOXY **GALVANIZED STEEL STAINLESS STEEL**

PERFORMANCE FEATURES:

- All welded construction with additional wire trussing for high strength characteristics
- Top mat wires run front to back (except on 12" x 36" size) for ease of loading and unloading and superior strength
- Wire allows air to circulate and light to penetrate for increased product visibility
- Minimal dirt accumulation
- Split sleeve connectors secure shelf corners to posts
- Numbered grooved posts on 1 inch increments for quick
- No tools required for assembly
- · Adjustable foot levelers allow for perfect stability
- Durable finishes
- Aesthetically pleasing
- Optional accessories (see pgs. 146-148)
 National Sanitation Foundation (NSF) Approved
- Shipped KD Class 70
- 600 to 1,000 lb. capacity per shelf

600-800 lb.

1,000 lb. LOAD CAPACITY PER HEAVY-DUTY SHELF

					EPOXY	
		CHROME	STAINLESS	PROFORM		
		01111011112	STEEL	GREEN	GRAY	BLACK
SHELF	SHIP	MODEL	MODEL	MODEL	MODEL	MODEL
W" x L"	WGT	NO.	NO.	NO.	NO.	NO.
		12"	Deep - Wire S	helves		
12" x 24"	6 lbs	1224C	-	1224P	1224GY	1224BK
12" x 30"	6 lbs	1230C	-	1230P	1230GY	1230BK
12" x 36"	7 lbs	1236C	1236S	1236P	1236GY	1236BK
12" x 42"	8 lbs	1242C	-	1242P	1242GY	1242BK
12" x 48"	9 lbs	1248C	1248S	1248P	1248GY	1248BK
12" x 60"	14 lbs	1260C	1260S	1260P	1260GY	1260BK
12" x 72"	17 lbs	1272C	1272S	1272P	1272GY	1272BK
		14"	Deep - Wire S	helves		
14" x 24"	6 lbs	1424C	-	1424P	1424GY	1424BK
14" x 30"	7 lbs	1430C	1430S	1430P	1430GY	1430BK
14" x 36"	8 lbs	1436C	1436S	1436P	1436GY	1436BK
14" x 42"	10 lbs	1442C	1442S	1442P	1442GY	1442BK
14" x 48"	11 lbs	1448C	1448S	1448P	1448GY	1448BK
14" x 54"	12 lbs	1454C	1454S	1454P	1454GY	1454BK
14" x 60"	14 lbs	1460C	1460S	1460P	1460GY	1460BK
14" x 72"	17 lbs	1472C	1472S	1472P	1472GY	1472BK
		18"	Deep - Wire S	helves		
18" x 24"	7 lbs	1824C	1824\$	1824P	1824GY	1824BK
18" x 30"	8 lbs	1830C	1830S	1830P	1830GY	1830BK
18" x 36"	10 lbs	1836C	1836S	1836P	1836GY	1836BK
18" x 42"	11 lbs	1842C	1842S	1842P	1842GY	1842BK
18" x 48"	14 lbs	1848C	1848S	1848P	1848GY	1848BK
18" x 54"	15 lbs	1854C	1854S	1854P	1854GY	1854BK
18" x 60"	17 lbs	1860C	1860S	1860P	1860GY	1860BK
18" x 72"	20 lbs	1872C	1872S	1872P	1872GY	1872BK
		21"	Deep - Wire S	helves		
21" x 24"	8 lbs	2124C	2124S	2124P	2124GY	2124BK
21" x 30"	9 lbs	2130C	2130S	2130P	2130GY	2130BK
21" x 36"	11 lbs	2136C	2136S	2136P	2136GY	2136BK
21" x 42"	12 lbs	2142C	2142S	2142P	2142GY	2142BK
21" x 48"	14 lbs	2148C	2148S	2148P	2148GY	2148BK
21" x 54"	16 lbs	2154C	2154S	2154P	2154GY	2154BK
21" x 60"	18 lbs	2160C	2160S	2160P	2160GY	2160BK
21" x 72"	24 lbs	2172C	2172S	2172P	2172GY	2172BK
0.411 0.411	0.11		Deep - Wire S	1	0.40.401/	0.10.101/
24" x 24"	9 lbs	2424C	2424\$	2424P	2424GY	2424BK
24" x 30"	11 lbs	2430C	2430S	2430P	2430GY	2430BK
24" x 36"	13 lbs	2436C	2436S	2436P	2436GY	2436BK
24" x 42"	15 lbs	2442C	2442\$	2442P	2442GY	2442BK
24" x 48"	16 lbs	2448C	2448\$	2448P	2448GY	2448BK
24" x 54"	18 lbs	2454C	2454\$	2454P	2454GY	2454BK
24" x 60"	21 lbs	2460C	2460S	2460P	2460GY	2460BK
24" x 66"	23 lbs	2466C	24700	2466P	2466GY	247204
24" x 72"	26 lbs	2472C	2472S ty - Wire Shelv	2472P	2472GY	2472BK
24" x 60"	25 lbo	2460CHD	ty - wire Sileiv	/es (1,000 lb.	capacity)	
24 x 00 24" x 72"		2472CHD	-	-	-	
24 172	30 lbs		Deep - Wire S	holyos	_	_
30" x 36"	15 lbs	3036C	3036S	3036P	3036GY	3036BK
30" x 42"	18 lbs	3042C	3042S	3030P 3042P	3042GY	3042BK
30" x 42"	21 lbs	3042C	30425 3048S	3042F 3048P	3042GY	3042BK
30" x 60"	27 lbs	3060C	3060S	3060P	3060GY	3060BK
30" x 72"	31 lbs	3072C	3072S	3072P	3072GY	3072BK
OU AIL	J. 100		Deep - Wire S			J. 101
36" x 36"	18 lbs	3636C	3636S	3636P	3636GY	3636BK
36" x 48"	23 lbs	3648C	3648S	3648P	3648GY	3648BK
36" x 60"	29 lbs	3660C	3660S	3660P	3660GY	3660BK
36" x 72"	35 lbs	3672C	3672S	3672P	3672GY	3672BK
				,	,	











All posts are manufactured from 16 gauge carbon steel with numbered grooves on one inch increments and allow for shelf installation. Numbers are printed between grooves for quick assembly. Posts are double grooved in consistent intervals for additional quick identification. Post levelers and post inserts are enclosed with all posts. Inserts and levelers cannot be used in conjunction with stem casters. See *pg. 149* to order caster sets. Custom post heights are available, call for details.

ATEMA	RAY					
FINISH		CHROME	STAINLESS STEEL	EPOXY		
				PROFORM GREEN	GRAY (NEW)	BLACK
DESCRIPTION	SHIP WGT	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.	MODEL NO.
6"H Post	1 lb	P6C	P6S	P6P	P6GY	P6BK
14"H Post	1 lb	P14C	P14S	P14P	P14GY	P14BK
34"H Post	2 lbs	P34C	P34S	P34P	P34GY	P34BK
36"H Post	2 lbs	P36C	-	-	-	-
39"H Post	2 lbs	P39C	-	-	-	P39BK
42"H Post	2 lbs	-	P42S	-	-	-
54"H Post	3 lbs	P54C	P54S	P54P	P54GY	P54BK
63"H Post	4 lbs	P63C*	P63S	P63P*	P63GY*	P63BK*
74"H Post	4 lbs	P74C*	P74S	P74P*	P74GY*	P74BK*
86"H Post	5 lbs	P86C*	P86S	P86P*	P86GY*	P86BK*
96"H Post	6 lbs	P96C	P96S	P96P	P96GY	P96BK

^{*}For easy installation, 63", 74" and 86" posts are available with pre-inserted leveler and bolt by adding an X to the Model No. P74CX

Posts Label Holders

(Sold as 4-pack)



New post label holders come in two sizes and allow for easy identification of aisles/rows as well as of wire cart contents. Attach to standard 1" diameter posts. Each package includes 12 clear holders and corresponding printer friendly sheet labels.

MODEL NO.	DIMENSIONS W" x L"	SHIP WGT
PLH1X6C	1" x 6"	1 lb
PI H2X4C	2" x 4"	1 lh





400-600 lb. LOAD CAPACITY PER SHELF

Solid Shelves



- Designed for storage of small parts that might normally fall through wire shelves
- Dual layer construction with double hemmed perimeter with marine edge ensures maximum strength while retaining spillage and excellent corrosion resistance


GALVANIZED

STAINLESS



ASSEMBLING WIRE SHELVING UNITS IS AS EASY AS 1 - 2 - 3...











Two "S-Hooks" are used to connect add-on wire shelf to starter units.

_			STEEL	STEEL
	DIMENSIONS W" x L"	SHIP WGT	MODEL No.	MODEL NO.
		14" Deep -	Solid Shelves	
	14" x 36"	14 lbs	1436SG	1436SS
	14" x 42"	15 lbs	1442SG	1442SS
_	14" x 48"	17 lbs	1448SG	1448SS
	14" x 54"	20 lbs	1454SG	1454SS
	14" x 60"	22 lbs	1460SG	1460SS
	14" x 72"	26 lbs	1472SG	1472SS
,		18" Deep -	Solid Shelves	
	18" x 24"	11 lbs	1824SG	1824SS
	18" x 30"	14 lbs	1830SG	1830SS
	18" x 36"	16 lbs	1836SG	1836SS
	18" x 42"	18 lbs	1842SG	1842SS
	18" x 48"	20 lbs	1848SG	1848SS
١.	18" x 54"	22 lbs	1854SG	1854SS
١.	18" x 60"	24 lbs	1860SG	1860SS
١.	18" x 72"	27 lbs	1872SG	1872SS
			Solid Shelves	
_	21" x 24"	13 lbs	2124SG	2124SS
_	21" x 30"	15 lbs	2130SG	2130SS
_	21" x 36"	18 lbs	2136SG	2136SS
	21" x 42"	21 lbs	2142SG	2142SS
	21" x 48"	23 lbs	2148SG	2148SS
	21" x 54"	25 lbs	2154SG	2154SS
	21" x 60"	28 lbs	2160SG	2160SS
١.	21" x 72"	30 lbs	2172SG	2172SS
ш			Solid Shelves	
-	24" x 24"	15 lbs	2424SG	2424SS
-	24" x 30"	17 lbs	2430SG	2430SS
-	24" x 36"	19 lbs	2436SG	2436SS
-	24" x 42"	22 lbs	2442SG	2442SS
-	24" x 48"	24 lbs	2448SG	2448SS
_	24" x 54"	26 lbs	2454SG	2454SS
_	24" x 60" 24" x 72"	31 lbs 34 lbs	2460SG	2460SS
			2472SG	2472SS





Corner Wire Shelving





When in need of more storage space, Quantum Corner Wire Shelving is the answer. It's great for any corner area. It is versatile and durable, it is easy to assemble. Each shelf holds up to 700 lbs., evenly distributed. This versatile storage option will help your rooms stay neat, organized and maximized.

Finishes available in: Chrome

MODEL	SHELF DIMENSIONS	SHIP				
NO.	A" x B" x C" x D" x E"	WGT				
Corner Wire Shelves						
1836CRNC	37-7/8" x 50-1/4" x 36" x 18" x 27"	16 lbs				
2442CRNC	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	21 lbs				
74"H ·	- Corner Wire Shelving 4 Shelf System					
WR74-1836CRNC	37-7/8" x 50-1/4" x 36" x 18" x 27"	80 lbs				
WR74-2442CRNC	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	100 lbs				
74"H -	- Corner Wire Shelving 5 Shelf System					
WR74-1836CRNC-5	37-7/8" x 50-1/4" x 36" x 18" x 27"	96 lbs				
WR74-2442CRNC-5	46" x 58-1/2" x 41-3/4" x 24" x 26-1/2"	121 lbs				
	_					

MOBILIZE YOUR SHELVING

DB - Donut Bumper Non-marking donut bumper used to protect walls and help cushion impact.


WR-00H-5 (Mobile Kit)*

Set of five swivel thermoplastic resin 5" x 1-1/4" casters, two with brakes. Can be used with all units shown. 1,500 lb. load capacity.





700 lb.LOAD CAPACITY PER SHELF



2442CRNC

Corner Wire Shelf (Use with 24" deep wire shelving)

PERFORMANCE FEATURES:

- 700 lb. load capacity per shelf
- Easy assembly with no tools needed
- Compatible with 18" and 24" deep Wire Shelving Add-On Units
- Shelves easily adjust on 1" centers to your exact needs
- Ideal storage solution for any commercial, office, warehouse or home application
- Bright chrome finish

